

Configuration Name: _____

Information for Evaluation of Conveyance Component

Instructions – Facilitator with Input from Authors and Assistance from Planning/Configuration Team Complete a Separate *FORM 5A* for Each Conveyance Component Included in the Proposed Configuration

This FORM 5A can be completed after the Workshop but the Facilitator should be familiar with what is on this sheet while listening to the Authors discussing the Configuration. If appropriate, the Facilitator can ask questions of the Authors related to the items on FORM 5A and fill in information as obtained. However, try not to ask questions such that the Authors feel they need to provide this type of detailed information.

Engineers and Evaluations Team Members – this FORM 5A along with the FORM 5 should assist you in asking any questions of the Spokesperson and the Authors during the presentations on Day 2 of the Workshop.

Every item on form requires a response. Acceptable responses include “0” and “Not Applicable”.

=====

Configuration Name (from *FORM 1*): _____

Component Number and Name (from *FORM 2*): _____

=====

Conveyance Component Volume, Depth, and Area

Type of Conveyance:

___ Open Water with Water Level Below Ground Elevation

Surface Finish:

___ Managed Vegetation ___ Natural Vegetation

___ Lined ___ No Preference

___ Open Water with Water Level Above Ground Elevation

Surface Finish:

___ Managed Vegetation ___ Natural Vegetation

___ Lined ___ No Preference

___ Closed Pipe: ___ Below Ground ___ Above Ground

Configuration Name: _____

Conveyance Component Volume, Depth, and Area (Continued)

Conveyance Feature: _____ New _____ Enhancement of an Existing Canal
(provide name of existing canal) _____

Number of Gross Acreage: _____

Number of Net Acreage (assume 10% of acreage required for support features,
assume 90% of acreage has water on it (net acreage)): _____

Volume in Acre-Feet of Water to be Conveyed (convert as necessary to ac-ft):

Maximum Water Depth in Feet: _____

Depth of Excavation in Feet (depth below ground of the conveyance component):

Length in Miles of Embankment (exterior): _____

Height in Feet of Embankment (typically 6 feet for depths less than 4 feet):

Width in Feet of Open Water Conveyance: _____

Length in Miles of Pipe: _____

Diameter in Feet of Pipe: _____

Pipe Material: _____

Conveyance Component Location – Soils, Land Use, and Topography

Soil Type: _____ Rock _____ Clay _____ Sand _____ Muck

Average Muck Depth in Feet: _____

Current Land Use (general description, details can be obtained from GIS
coverage): _____

Site Preparation Required: _____ Clear Vegetation, Trees _____ Re-grading

Overall Topography Difference Across Component in Feet: +/- _____

Configuration Name: _____

Conveyance Component Location – Land Ownership

Owner 1:	_____	Acreage:	_____
Owner 2:	_____	Acreage:	_____
Owner 3:	_____	Acreage:	_____
Owner 4:	_____	Acreage:	_____
Owner 5:	_____	Acreage:	_____

Conveyance Component Location

Length in Miles of Cutoff Wall: _____

Length in Miles of Liner: _____

Width in Feet of Liner: _____

Conveyance Component Operations - Inflow

Total Inflow Capacity to Treatment Component in Cubic Feet per Second (cfs)
(convert to cfs if provided another unit): _____

Inflow Type: _____ Gravity _____ Pump _____ Gravity and Pump

Gravity Inflow Type: ____ Fixed ____ Adjustable

Gravity Inflow Structures: ____ Weir ____ Gate ____ Tower

Total Gravity Inflow Capacity in cfs: _____

Number of Gravity Inflow Structures: _____

Gravity Inflow Capacity in cfs for Each Structure: _____

Total Inflow Pump Station Capacity in cfs: _____

Number of Inflow Pump Stations: _____

Inflow Capacity in cfs for Each Pump Station: _____

Configuration Name: _____

Conveyance Component Operations - Outflow

Total Outflow Capacity from Component in cfs: _____

Outflow Type: _____ Gravity _____ Pump _____ Gravity and Pump

Gravity Outflow Type: ____ Fixed ____ Adjustable ____ Weir ____ Gates ____ Tower

Total Gravity Outflow Capacity in cfs: _____

Number of Gravity Outflow Structures: _____

Gravity Outflow Capacity in cfs for Each Structure: _____

Total Outflow Pump Station Capacity in cfs: _____

Number of Outflow Pump Stations: _____

Outflow Capacity in cfs for Each Pump Station: _____

Conveyance Component Operations - Interior

Minimum Water Depth in Feet (if allowed to dry out, depth is 0 feet): _____

Length in Miles of Embankment (interior): _____

Number of Internal Cells: _____

Total Number of Water Control Structures within All Cells: _____

Type of Structures within Cells: _____ Gravity _____ Pump _____ Siphon

Flow Capacity in cfs of Each Structure within Cells: _____

Conveyance Component – Other Required Features
